

PRODUCT SHEET

Bison Composite Batten Cladding

southern sheeting



Low maintenance composite Batten Cladding with great visual aesthetics

Bison Composite Batten Cladding offers low maintenance, high quality and the robustness you'd expect from a composite building material

KEY FEATURES INCLUDE

- Cost effective
- Hard-wearing
- Easy to install
- Lifelike timber appearance
- Environmentally friendly

visit www.southernsheeting.co.uk for our full range
or call to speak to our friendly sales team

[f](#) @southernsheetingsupplies [X](#) @SSSRoofing [in](#) southernsheeting [@](#) southernsheeting

CS3496 VER F1

Why choose Bison Composite Batten Cladding?



Key benefits and features

Visual aesthetics

Our wood plastic composite cladding planks give the appearance of timber or Cedar slatted cladding with a lifelike woodgrain timber finish available in three colours: Ash Grey, Black or Oak. Combined with colour matched accessories Bison Composite Batten Cladding can be installed Vertically or horizontally.

It's easy to install

With minimal trims and planks sized ideally for vertical cladding, to Bison Composite Batten Cladding is a simple and easy to use system with minimal need for cutting. It offers the elegant design and easy installation of Cedar or Siberian Larch cladding with all the benefits of a composite material.

It's incredibly hard wearing

Bison's hard-wearing capping ensures the material stands up to all weather conditions, is UV stable, scratch resistant and non-porous. Being a composite material ensures it is resistant to rot, mould and insects.

Multi purpose uses

Bison Cladding can be utilised for a wide variety of projects including but not limited to cladding, slatted fencing, internal feature walls or even planters.

Low maintenance

Bison Composite Batten Cladding will never need staining or painting. To clean simply hose or jet wash when required.


Environmentally friendly

Manufactured from 82% recycled material (wood fibre and HDPE plastic). Remaining ingredients are additives for bonding, UV stabilisers and colour pigments.

"An innovative yet easy-to-install system"




Low maintenance



UV stability




Scratch resistant



Mould resistant



Environmentally friendly



Non porous



Timber effect

Available in 3 colours



ASH GREY



BLACK



OAK

Samples available

Samples boxes include a full width sample of each colour board along with each of the systems elements so that you can not only choose the correct colour, but also see how the system is assembled.

Order from our sales team or via our website at www.southernsheeting.co.uk



The Bison Composite Batten Cladding components

southern sheeting

WPC Batten cladding planks

BT1PLANK-** Main cladding plank material

PLANK DETAILS

COLOUR – Ash Grey, Black or Oak

LENGTH - 2700mm

WIDTH - 219mm

COVER WIDTH – 200mm

INDIVIDUAL BATTEN WIDTH – 36.5mm

GAPS BETWEEN BATTENS – 13.5mm

DEPTH - 26mm

COVERAGE – 0.54m² per board (or 1.85 boards per sqm without wastage)

WEIGHT – 8Kg per board

Images not to scale



Batten cladding L corner

BT1CORNER-** For external corners of building and window/door reveals

L CORNER DETAILS

COLOUR – Ash Grey, Black or Oak

LENGTH - 2500mm

LEGS DIMS - Legs Dims - 56mm x 51mm



Batten cladding steel drip trim

BT1DRIP-** For external corners of building and window/door reveals

DETAILS

COLOUR – Ash Grey, Black or Oak

LENGTH - 2000mm

HIDDEN LEG (behind cladding) - 20mm

KICK OUT LEG - 30mm

FACE LEG - 15mm

5MM WELTED SAFETY DRIP EDGE

MATERIAL THICKNESS - 1mm

Images not to scale



Batten cladding edge board

BT1EB-** For deeper reveals and other finishing details

PLANK DETAILS

COLOUR – Ash Grey, Black or Oak

LENGTH - 2500mm

WIDTH - 140mm

THICKNESS – 12mm



Batten cladding colour screw

BT1CSCREW-** For any visible fixings including corners

DETAILS

COLOUR – Ash Grey, Black or Oak

QUANTITY – 100 per bag

LENGTH – 35mm

DIAMETER – 4mm

HEAD – Countersunk Pozi head

MATERIAL – Stainless Steel



Batten cladding fixing screw

BT1SCREW-** Main fixing for cladding, hidden by the lap of the plank

DETAILS

COLOUR – N/A

QUANTITY – 100 per bag

LENGTH – 25mm

DIAMETER – 4mm

HEAD – Countersunk Pozi head

MATERIAL – Stainless Steel



Our depots

Southern Sheeting Midlands

Unit 4a/4b
Wymeswold Business Quarter,
Wymeswold Lane,
Loughborough LE12 5BS

Southern Sheeting

Hill Place Farm,
Turners Hill Road,
East Grinstead,
West Sussex RH19 4LX

Saint Hill Farm Business Park,
West Hoathly Road,
East Grinstead,
West Sussex RH19 4NG